


52.DK3110

Plastiskskærm, flad top med hvid kant.


Plastic, flat-topped mudguard with white border.




52.DK3115

Plastiskskærm, flad top med hvid kant.

Plastic, flat-topped mudguard with white border.




Helskærm m. hvid kant / Full mudguard with white border



Vare nr. Part no.	B mm	L mm	S mm
52.DK1615	410	1350	860
52.DK1620	450	1350	860
52.DK1635	500	1700	1100
52.DK1640	550	1700	1100
52.DK1650	550	1900	1280
52.DK1655	600	1700	1100
52.DK1665	600	1900	1280
52.DK1670	650	1900	1280
52.DK1675	430	1900	1300
52.DK1680	430	2125	1300
52.DK1685	670	2125	1340

Helskærm / Full mudguard



Vare nr. Part no.	B mm	L mm	R mm	S mm	H mm	V mm
52.DK1510	270	1300	420	840	410	60
52.DK1515	410	1350	430	840	430	60
52.DK1520	450	1350	430	860	430	60
52.DK1530	500	1620	500	1000	520	60
52.DK1545	550	1780	560	1120	570	60
52.DK1560	600	1840	580	1160	590	60
52.DK1575	430	1900	650	1300	580	75
52.DK1580	430	2125	650	1300	690	75
52.DK1585	670	2125	670	1340	680	75
52.DK1685	670	2125		1340		

52.D20130

Plastiskskærm 220 x 1.210 x 790
Singleskærm.



52.D20250

Plastiskskærm 220 x 1.500 x 350
Tandemskærm.




52.DK4175

Plastiskskærm 1.300 x 430 x 1.900




52.DK8012

Skærmholdere, sort pulverlakeret. Gods 2.5 mm.
Stay, straight, black powder-coated. Wall 2.5 mm.




52.DK8016

Skærmholdere, kurvede, pulverlakeret sort. Gods 2.5 mm.
Stay, curved, black powder-coated. Wall 2.5 mm.




52.DK8022

Skærmholdere, montering direkte på chassis, pulverlakeret sort. Gods 2.5 mm.
Stay, straight, attached to chassis, black powder-coated. Wall 2.5 mm.




52.DK8024

Skærmholdere, kurvede, montering direkte på chassis, pulverlakeret sort. Gods 2.5 mm.
Stay, curved, attached to chassis, black powder-coated. Wall 2.5 mm.



52.DK8026

Skærmholdere, kurvede, montering direkte på chassis, pulverlakeret sort. Gods 2.5 mm. Bemærk M16 bolt.
Stay, curved, attached to chassis, black powder-coated. Wall 2.5 mm.



51.2971

Boltsæt til C-profil. 1 stk. møtrik, 1 stk. profilskive, 1 stk. bolt, 1 stk. skærmskive.

Set of bolts for C-profile consisting of:
Nut, profile washer, bolt and cover.



51.2980

Underlagsplade, Uni-Form. 1,5 mm galvaniseret stålplade.


Baseplate, Uni-Form, for plastic and rubber stays. 1.5 mm zinc-plated steel sheet.



Skærmholdere C-profil / Stay C-profile

Skærmholdere C-profil.


Stay C-profile, untreated.



Vare nr. Part no.	A mm	B mm	C mm	D mm	L mm	Kvalitet Quality
51.2966	58	50	40	48	600	Olieret
51.2966G	58	50	40	48	600	Galvaniseret
51.2968	58	50	40	48	700	Olieret
51.2968G	58	50	40	48	700	Galvaniseret


52.DK8110

Fast befæstigelse til skærm.
Plastic fixed support for mudguard.




52.DK8115

Justérbar befæstigelse for skærme, sort metal.
Adjustable support for mudguard, black metal.





52.DK8125

Justérbar befæstigelse for skærme, plast.
Adjustable support for mudguard, plastic.




52.DK8130

Justérbar befæstigelse for skærme, plast.
Adjustable support for mudguard, plastic.



52.DK8220

Galvaniseret holder for skærmstivere.
Support for stay, zinc-plated.



52.DK8215

Galvaniseret holder for skærmstivere.
Support for stay, zinc-plated.

